

1	Contact between subjects increasing the risk of transmission of COVID19	Transmission of the virus leading to ill health or potential death	<ul style="list-style-type: none"> • Asymptomatic: All subjects are to be advised in advance not to attend if they have any symptoms of COVID 19, or live with someone who is showing symptoms of COVID 19 (including a fever and/or new persistent cough) or if they have returned within 14 days from a part of the world affected by the virus or have been in close contact with someone who is displaying symptoms. • Face masks: Prominent signage reminding attending subjects of the above to be displayed at the entrance to the building. • Face coverings/masks to be worn by subjects at all times whilst in the room except for brief lowering at time of swabbing. • Requirement to wear face covering/mask to be reminded to all subjects in advance at time of test booking. • Compliance with wearing of face covering/mask of all subjects to be visually checked on arrival by reception. • Compliance with wearing of face covering/mask of all subjects to be visually checked through building by queue managers and all other staff. • Hand hygiene: All subjects to use hand sanitiser provided on arrival & adherence to this enforced by reception staff. • Social distancing: Two metre social distancing to be maintained between subjects with measured floor markings in place to ensure compliance in addition to verbal reminders if necessary from reception, queue management & sampling staff. • A one-way flow of subjects through the building is to be initiated and maintained at all times. Compliance with this is to be ensured by queue management staff. • Cleaning: Regular cleaning of the site including wipe down of all potential touchpoints in accordance with PHE guidance. 	1	4	4	NO
2	Contact between subjects and staff increasing the risk of transmission	Transmission of the virus leading to ill health or potential death	As Above	1	4	4	NO

3	Contact between subject and sampler increasing the transmission of COVID19: <u>Sample taking</u>	Transmission of the virus leading to ill health or potential death	As Above	1	4	4	NO
4	Contact between sample and test centre runner increasing the	Transmission of the virus leading to ill health or potential death	As Above	1	4	4	NO
5	Contact between samples and sample testers increasing the transmission of COVID19: _	Transmission of the virus leading to ill health or potential death	As Above	1	4	4	NO
6	Contact between samples and sample testers increasing the transmission of COVID19: _	Transmission of the virus leading to ill health or potential death	As Above	1	4	4	NO

7	Incorrect result communication	Wrong samples or miscoding of results	<ul style="list-style-type: none"> • 2 identical barcodes are provided to subject at check in • The subject registers their details to a unique ID barcode before conducting the test • Barcodes are attached by trained staff at the sample collection bay <p>Barcodes are checked for congruence at the analysis station 1 and applied to Lateral Flow Device at this station</p>	1	2	2	NO
8	Damaged barcode, lost LFD, failed scan of barcode	Orphaned record on registration portal & No result communicated to individual	<ul style="list-style-type: none"> • Rule based recall of subjects who have not received a result within 1 hrs of registration • Subjects are called for a retest 	1	2	2	NO
9	Extraction solution which comes with the lab test kit contains the following components: Na_2HPO_4 (disodium hydrogen phosphate), NaH_2PO_4 (sodium phosphate monobasic), NaCl (Sodium Chloride)	These components do not have any hazard labels associated with them, and the manufacturer states that there are no hazards anticipated under conditions of use as described in other product literature. This is the case for exposure to: eye, skin, inhalation, ingestion, chronic toxicity, reproductive and developmental toxicity, carcinogenicity, and medical conditions aggravated by exposure.	<ul style="list-style-type: none"> • PPE: nitrile gloves which meet the Regulation (EU) 2016/425 to be used at all times when handling the extraction solution. Safety glasses with side shields which are tested and approved under appropriate government standards to be worn at all times when handling the extraction solution. Impervious clothing to be worn to protect the body from splashes or spillages. • Environmental: do not let product enter drains • Spillages: wipe surfaces which the solution has been spilt on and dispose of cleaning material in line with the lab's waste disposal procedures <ul style="list-style-type: none"> • Do not use if the solution has expired • Training to be provided in handling potentially biohazardous samples, chemicals and good lab practice. Adhere to guidelines in these training procedures to prevent improper handling. • Follow procedures on the MSDS form provided by Innova to mitigate against inhalation, skin contact or ingestion of these chemicals. 	1	2	2	NO

10	Uneven surfaces (floor protection in the Testing and Welfare areas)	Trip Hazard	Floor surface is cleaned and well maintained	1	2	2	NO
----	---	-------------	--	---	---	---	----

11	Electrical safety / plant & equipment maintenance Defective electrical equipment	Loss of data	<ul style="list-style-type: none"> All equipment is PAT tested 	1	2	2	NO
12	Use of shared equipment	Transmission of the virus leading to ill health or potential death	<ul style="list-style-type: none"> Equipment is not shared Sanitized if used by another person 	1	4	4	NO
13	Incorrect result communication	Wrong samples or miscoding of results	<ul style="list-style-type: none"> 2 identical barcodes are provided to subject at check in The subject registers their details to a unique ID barcode before conducting the test Barcodes are attached by trained staff at the sample collection bay <p>Barcodes are checked for congruence at the analysis station 1 and applied to Lateral Flow Device at this station</p>	1	2	2	NO
14	Damaged barcode, lost LFD, failed scan of barcode	Orphaned record on registration portal & No result communicated to individual	<ul style="list-style-type: none"> Rule based recall of subjects who have not received a result within x hrs of registration Subjects are called for a retest 	1	2	2	NO

15	<p>Extraction solution which comes with the lab test kit contains the following components: Na_2HPO_4 (disodium hydrogen phosphate), NaH_2PO_4 (sodium phosphate monobasic), NaCl (Sodium Chloride)</p>	<p>These components do not have any hazard labels associated with them, and the manufacturer states that there are no hazards anticipated under conditions of use as described in other product literature. This is the case for exposure to: eye, skin, inhalation, ingestion, chronic toxicity, reproductive and developmental toxicity, carcinogenicity, and medical conditions aggravated by exposure.</p>	<ul style="list-style-type: none"> • PPE: nitrile gloves which meet the Regulation (EU) 2016/425 to be used at all times when handling the extraction solution. Safety glasses with side shields which are tested and approved under appropriate government standards to be worn at all times when handling the extraction solution. Impervious clothing to be worn to protect the body from splashes or spillages. • Environmental: do not let product enter drains • Spillages: wipe surfaces which the solution has been spilt on and dispose of cleaning material in line with the lab's waste disposal procedures • Do not use if the solution has expired • Training to be provided in handling potentially biohazardous samples, chemicals and good lab practice. Adhere to guidelines in these training procedures to prevent improper handling. • Follow procedures on the MSDS form provided by Innova to mitigate against inhalation, skin contact or ingestion of these chemicals. 	1	2	2	NO
----	---	--	---	---	---	---	----



Test and Trace

		Consequence of event occurring (Severity)				
		Negligible	Minor	Moderate	Major	Critical
Likelihood of event occurring (Probability)	Almost Certain	Tolerable 5	Substantial 10	Intolerable 15	Intolerable 20	Intolerable 25
	Likely	Tolerable 4	Substantial 8	Intolerable 12	Intolerable 16	Intolerable 20
	Possible	Trivial 3	Tolerable 6	Substantial 9	Intolerable 12	Intolerable 15
	Unlikely	Trivial 2	Tolerable 4	Tolerable 6	Substantial 8	Substantial 10
	Rare	Trivial 1	Trivial 2	Trivial 3	Tolerable 4	Tolerable 5

Likelihood

- Rare**, will probably never happen/recur
- Unlikely**, do not expect it to happen, but is possible
- Possible**, Might happen
- Likely**, will probably happen
- Almost Certain**, will undoubtedly happen

Severity

- Negligible
- Minor
- Moderate
- Major
- Critical

Risk control strategies

- Intolerable** – stop activity, take immediate action to reduce the risk
- Substantial** - Take action within an agreed period
- Tolerable** – monitor the situation
- Trivial** – No action required

Risk Evaluation

Declaration - If the above control measures are implemented the risks posed by the task / process / environment assessed will be controlled to as low as is reasonably practicable.	
Persons involved in assessment	Belinda Young, Jackie Burton
Signature of Lead Assessor	Belinda Young 11/01/2021
	Date



Test and Trace



Test and Trace